

UNIVERSITY OF FORT HARE

Complex Analysis
MAT 322

Supplementary Examination

November

2024

.....
Time: 3 Hrs

Subject: Complex Analysis

Maximum Marks: 100

This question paper consists of 4 pages

Internal examiner

Prof A.L. Prins

External Examiner

Dr S Nkonkobe

Instructions

Answer Five Questions

Symbols have the usual meanings.

QUESTION 1

Choose at least one correct answer:

1.1) The **image** of the line $x = t, y = 1 - 2t, -\infty < t < \infty$ under the linear transformation $w = f(z) = (2 + i)z - 3 + 4i$ is given by

- (A) $u = -4i + 4t, v = 6i + 3t$ (B) $u = 4t + 4, v = 6 - 3t$ (C) $u = 4t - 4, v = -3t + 6$
(D) $u = 6 + 3t, v = 4t - 4$ (E) None of the above.

1.2) $\lim_{z \rightarrow i} \frac{z^2 + z(1-i) - i}{z^2 + 1}$

- (A) $\frac{1-i}{2}$ (B) $1 + i$ (C) $\frac{1+i}{2}$ (D) $1 - i$ (E) None of the above.

1.3) The function $f(z) = x^2 + y^2 + i2xy$ is differentiable on ...

- (A) $\{x + iy | x \in \mathbb{R}, y = 0\}$ (B) $\{x + iy | x = 1, y = 0\}$ (C) complex plane (D) nowhere
(E) None of the above.

1.4) $\left\{ \frac{(n+i)(1-ni)}{n^2} \right\}$

- (A) is divergent. (B) converges to $1 - i$. (C) converges to 0. (D) converges to i .
(E) None of the above.

1.5) $\sum_{n=1}^{\infty} \left(\frac{1+i}{3} \right)^n =$

- (A) $\frac{2+i}{5}$ (B) $\frac{6+3i}{5}$ (C) $\frac{6-3i}{5}i$ (D) $\frac{-6-3i}{5}i$ (E) None of the above.

1.6) The disk of convergence for the series $\sum_{n=0}^{\infty} \left(\frac{z-i}{3+4i} \right)^n$ is

- (A) $|z - i| < 10$ (B) $|z + i| < 10$ (C) $|6 + 8i| < 5$ (D) $|z - i| < 5$ (E) None of the above.

1.7) Find all values of $z \in \mathbb{C}$ for which $e^z = -1 + i$ hold.

- (A) $\ln(\sqrt{2}) + i\left(\frac{\pi}{4}\right)$ (B) $\ln(\sqrt{2}) + i\left(\frac{\pi}{4} + 2\pi n\right), n \in \mathbb{Z}$ (C) $\ln(\sqrt{2}) + i\left(\frac{3\pi}{4} + 2\pi n\right), n \in \mathbb{Z}$ (D) none
(E) None of the above.

1.8) Find the principal value of i^t .

- (A) $e^{-i(\frac{\pi}{2}+2\pi n)}, n \in \mathbb{Z}$ (B) $e^{-i(\frac{\pi}{2}+2\pi n)}, n \in \mathbb{Z}$ (C) $e^{-i\frac{\pi}{2}}$ (D) $e^{-\frac{\pi}{2}}$ (E) None of the above.

1.9) $\int_0^2 \frac{1}{t+i} dt =$

- (A) $2 - \arctan(2) - i\ln(\sqrt{5})$ (B) $2 - i\ln\sqrt{5}$ (C) $\ln\sqrt{2} - i\frac{\pi}{4}$ (D) $\ln(t+i)$
(E) None of the above.

1.10) Evaluate $\int_C (z-1) dz$ where C is the line segment from i to 1 given by the parametrization $z(t) = 1-t+it, 0 \leq t \leq 1$.

- (A) i (B) $-i$ (C) -1 (D) 1 (E) None of the above.

[10x3=30]

QUESTION 2

2.1) Let $f(z) = \frac{\bar{z}}{z}$.

2.1.1) Compute $\lim_{z \rightarrow 0} f(z)$ along the line $y = 2x$.

2.1.2) Compute $\lim_{z \rightarrow 0} f(z)$ along $y = x^2$.

2.1.3) Use your answers above to explain whether $\lim_{z \rightarrow 0} f(z)$ exists?

[3, 3, 1]

2.2) Let $f(z) = f(x+iy) = u(x,y) + iv(x,y)$ be differentiable at the point $z_0 = x_0 + iy_0$. Prove that the partial derivatives of u and v exist at the point (x_0, y_0) and satisfy the equations $u_x(x_0, y_0) = v_y(x_0, y_0)$ and $u_y(x_0, y_0) = -v_x(x_0, y_0)$.

[7]

2.3) Consider the harmonic function $v(x,y) = 2xy$. Use 2.2) to construct a harmonic conjugate $u(x,y)$ of $v(x,y)$ such that $f(z) = u(x,y) + iv(x,y)$ is analytic.

[6]

[20]

QUESTION 3

3.1) Compute $\int_C \frac{z}{z^2-z-2} dz$ where $C: |z| = \frac{3}{2}$. [Hint: Use $\int_C \frac{1}{z-z_0} dz = 2\pi i$, where C is a simple closed contour with positive orientation such that z_0 lies interior to C together with the Cauchy-Goursat theorem.]

[6]

3.2) Use the **Cauchy Integral Formula** to compute $\int_C \frac{e^z}{z^2+1} dz$ along the positive oriented contour $C: |z - i| = 1$. [6]

3.3) Use the **Cauchy Integral Formulae for derivatives** to compute $\int_C \frac{1}{(z^2+1)^2} dz$ along the positive oriented contour $C: |z + i| = 1$. [7]

[19]

QUESTION 4

4.1) Consider $f(z) = \frac{1-z}{z-3} = \frac{z-1}{2[1-(\frac{z-1}{2})]}$.

4.1.1) Use a **geometric series** to compute the **Taylor series** for $f(z)$ centred about $\alpha = 1$.

4.1.2) Find the **interval of convergence** for the series in 4.1.1. [4,2]

4.2) Compute the **Laurent series** representation for $f(z) = \frac{1}{z^2-5z+6}$ involving **powers of z** in the domain $|z| > 3$. [6]

4.3) Classify the **singularities** (if any) of $f(z) = \frac{z-\sin(z)}{z^2}$. [3]

[15]

QUESTION 5

5.1) Let D be a simply connected domain and let C be a simple closed positively oriented contour that lies in D . If f is analytic inside C and on C , except at the points z_1, z_2, \dots, z_n that lie inside C , then prove $\int_C f(z) dz = 2\pi i \sum_{k=1}^n \text{Res}(f, z_k)$. [5]

5.2) Use the theorem in 5.1 to compute $\int_C \frac{\sin(z)}{z^2+1} dz$ where $C: |z| = 2$ [6]

5.3) Use **residues** to compute $\int_{-\infty}^{\infty} \frac{1}{x^2+4} dx$. [5]

[16]

END